
Canadian Geotechnical Journal

Contents
Volume 38, 2001

Revue canadienne de géotechnologie

Sommaire
Volume 38, 2001

February / février

ARTICLES

- Guoxi Wu** Earthquake-induced deformation analyses of the Upper San Fernando Dam under the 1971 San Fernando Earthquake 1
- R.G. Wan and P.J. Guo** Effect of microstructure on undrained behaviour of sands 16
- I.A. Basheer** Empirical modeling of the compaction curve of cohesive soils 29
- Brent E. Sleep and Paul D. McClure** The effect of temperature on adsorption of organic compounds to soils 46
- Craig A. Burger and Charles D. Shackelford** Evaluating dual porosity of pelletized diatomaceous earth using bimodal soil-water characteristic curve functions 53
- Laurie Neilson-Welch and Leslie Smith** Saline water intrusion adjacent to the Fraser River, Richmond, British Columbia 67
- Limin Zhang, Michael C. McVay, and Charles W.W. Ng** A possible physical meaning of Case damping in pile dynamics 83
- J.H. Deng, C.F. Lee, and X.R. Ge** Characterization of the disturbed zone in a large rock excavation for the Three Gorges Project 95
- Dong-Soo Kim, Gi-Chul Kweon, and Kwang-Ho Lee** Alternative method of determining resilient modulus of subgrade soils using a static triaxial test 107
- Dong-Soo Kim, Gi-Chul Kweon, and Suckkeun Rhee** Alternative method of determining resilient modulus of subbase soils using a static triaxial test 117
- Vinayagamoorthy Sivakumar, Isaac Gregg Doran, Jim Graham, and Arvee Johnson** The effect of anisotropic elasticity on the yielding characteristics of overconsolidated natural clay 125
- J.P. Seidel and B. Collingwood** A new socket roughness factor for prediction of rock socket shaft resistance 138

NOTES

- Zalihe Nalbantoglu and Erdil Riza Tuncer** Compressibility and hydraulic conductivity of a chemically treated expansive clay 154
- Jack Q. Zhao, Balvant B. Rajani, and Lyne Daigle** Thermal performance of trench backfills used for frost protection of water service lines 161
- Dinesh R. Katti and Vijayakumar Shanmugasundaram** Influence of swelling on the microstructure of expansive clays 175
- Yunxin (Jason) Qiu and D.C. Sego** Laboratory properties of mine tailings 183
- A.L. Fernandez and J.C. Santamarina** Effect of cementation on the small-strain parameters of sands 191
- M. Chiru-Danzer, C.H. Juang, R.A. Christopher, and J. Suber** Estimation of liquefaction-induced horizontal displacements using artificial neural networks 200
- Jian Zhou and Xiaonan Gong** Strain degradation of saturated clay under cyclic loading 208

DISCUSSIONS

- Claudio Cherubini and Concetta I. Giasi** Characterization of geotechnical variability and Evaluation of geotechnical property variability: Discussion 213
- Kok-Kwang Phoon and Fred H. Kulhawy** Characterization of geotechnical variability and Evaluation of geotechnical property variability: Reply 214
- Instructions to Authors** I-1
- Recommendations aux auteurs** R-1

April / avril

ARTICLES

- Tiande Miao, Zhongyu Liu, Yonghong Niu, and Chongwu Ma** A sliding block model for the runout prediction of high-speed landslides 217
- Christopher J. Keylock and Massimiliano Barbolini** Snow avalanche impact pressure – vulnerability relations for use in risk assessment 227
- D.B. Hughes and B.G. Clarke** The River Aire slope failure at the St. Aidans Extension Opencast Coal Site, West Yorkshire, United Kingdom 239
- R.W.I. Brachman, I.D. Moore, and R.K. Rowe** The performance of a laboratory facility for evaluating the structural response of small-diameter buried pipes 260
- A. Porbaha, T.B.S. Pradhan, and T. Kishida** Static response of fly ash columnar improved ground 276
- S. Micic, J.Q. Shang, K.Y. Lo, Y.N. Lee, and S.W. Lee** Electrokinetic strengthening of a marine sediment using intermittent current 287
- Marolo C. Alfaro and Ron C.K. Wong** Laboratory studies on fracturing of low-permeability soils 303
- Ron C.K. Wong and Marolo C. Alfaro** Fracturing in low-permeability soils for remediation of contaminated ground 316
- Da-Yong Zhu** A method for locating critical slip surfaces in slope stability analysis 328
- Teoh Yaw Poh and Ing Hieng Wong** A field trial of jet-grouting in marine clay 338
- Guofu Zhu, Jian-Hua Yin, and James Graham** Consolidation modelling of soils under the test embankment at Chek Lap Kok International Airport in Hong Kong using a simplified finite element method 349
- Ahmed Shlash Alawneh, Osama Nusier, Abdullah I. Husein Malkawi, and Mustafa Al-Kateeb** Axial compressive capacity of driven piles in sand: a method including post-driving residual stresses 364
- Hiroyuki Tanaka, Jacques Locat, Satoru Shibuya, Tan Thiam Soon, and Dinesh R. Shiwakoti** Characterization of Singapore, Bangkok, and Ariake clays 378

NOTES

- Venanzio R. Greco** Active earth thrust on cantilever walls with short heel 401
- Licia Mouta da Costa, Bernadete Ragoni Danziger, and Francisco de Rezende Lopes** Prediction of residual driving stresses in piles 410
- Zekai Şen** Nonequilibrium consolidation model for pressured shale layers 422
- G.M. Nagaraja Rao and C.R.L. Murthy** Dual role of microcracks: toughening and degradation 427

June / juin

ARTICLES

- Kevin W. Biggar and Vivien Kong** An analysis of long-term pile load tests in permafrost from the Short Range Radar site foundations 441
- K.M. Lee and X.W. Ge** The equivalence of a jointed shield-driven tunnel lining to a continuous ring structure 461
- Yun Tae Kim and S. Leroueil** Modeling the viscoplastic behaviour of clays during consolidation: application to Berthierville clay in both laboratory and field conditions 484
- R.K. Rowe, J.Q. Shang, and Y. Xie** Complex permittivity measurement system for detecting soil contamination 498
- Gerald P. Raymond** Failure and reconstruction of a gantry crane ballasted track 507
- Gabriel Sedran, Dieter E.E. Stolle, and Robert G. Horvath** An investigation of scaling and dimensional analysis of axially loaded piles 530
- V. Silvestri and R. Diab** Stress distributions and paths in clays during pressuremeter tests 542
- C.W.W. Ng, L.M. Zhang, and K.K.S. Ho** Influence of laterally loaded sleeved piles and pile groups on slope stability 553
- Hélène Tremblay, Serge Leroueil, and Jacques Locat** Mechanical improvement and vertical yield stress prediction of clayey soils from eastern Canada treated with lime or cement 567
- Y.P. Vaid, J.D. Stedman, and S. Sivathayalan** Confining stress and static shear effects in cyclic liquefaction 580
- K.M. Lee** Influence of placement method on the cone penetration resistance of hydraulically placed sand fills 592

J. Graham, N. Tanaka, T. Crilly, and M. Alfaro	Modified Cam-Clay modelling of temperature effects in clays	608
R. Cudmani and V.A. Osinov	The cavity expansion problem for the interpretation of cone penetration and pressuremeter tests	622
NOTE		
Muthusamy Karthikeyan, Thiam-Soon Tan, and Kok-Kwang Phoon	Numerical oscillation in seepage analysis of unsaturated soils	639
DISCUSSIONS		
James A. Sladen	Undrained shear strength of clean sands to trigger flow liquefaction: Discussion	652
M. Yoshimine, P.K. Robertson, and C.E. (Fear) Wride	Undrained shear strength of clean sands to trigger flow liquefaction: Reply	654
Michel Aubertin and Mamert Mbonimpa	Diffusion of oxygen through a pulp and paper residue barrier: Discussion	658
Alexandre Cabral, Isabelle Racine, Fabien Burnotte, and Guy Lefebvre	Diffusion of oxygen through a pulp and paper residue barrier: Reply	661
Vincent Silvestri	Active earth pressure in cohesive soils with an inclined ground surface: Discussion	662
ERRATUM		
Alexandre Cabral, Isabelle Racine, Fabien Burnotte, and Guy Lefebvre	Erratum: Diffusion of oxygen through a pulp and paper residue barrier	663
In Memoriam / En memoriam		iii
August / août		
ARTICLES		
R.S. Globa and S.L. Barbour	A case history of shallow sloughing within cut slopes of an irrigation canal in salt-rich clayey colluvium	665
Karen S. Henry and Robert D. Holtz	Geocomposite capillary barriers to reduce frost heave in soils	678
A.B. Fourie and G. Papageorgiou	Defining an appropriate steady state line for Merriespruit gold tailings	695
A.B. Fourie, G.E. Blight, and G. Papageorgiou	Static liquefaction as a possible explanation for the Merriespruit tailings dam failure	707
Luc Morissette, Michel W. St-Louis, and Gordon C. McRostie	Empirical settlement predictions in overconsolidated Champlain Sea clays	720
M.C. Ervin and J.R. Morgan	Groundwater control around a large basement	732
Paul H. Simms and Ernest K. Yanful	Measurement and estimation of pore shrinkage and pore distribution in a clayey till during soil-water characteristic curve tests	741
Lai Fa Cao, Ming-Fang Chang, Cee Ing Teh, and Yung Mook Na	Back-calculation of consolidation parameters from field measurements at a reclamation site	755
Norbert Pralle, Malte L. Bahner, and Josef Benkler	Computer tomographic analysis of undisturbed samples of loose sands	770
D.T. Bergado, P. Voottipruex, A. Srikongsri, and C. Teerawattanasuk	Analytical model of interaction between hexagonal wire mesh and silty sand backfill	782
Celestina Adu-Wusu, Ernest K. Yanful, and Mohammed H. Mian	Field evidence of resuspension in a mine tailings pond	796
John V. Headley, Brigitte E.J. Boldt-Leppin, Moir D. Haug, and Jimin Peng	Determination of diffusion and adsorption coefficients for volatile organics in an organophilic clay – sand – bentonite liner	809
A. Derradji-Aouat and E. Evgin	A constitutive model for isotropic freshwater ice	818
Ergün Tuncay and Reşat Ulusay	Deterministic and probabilistic treatments of multiplanar pitwall failures at Himmetoğlu (Turkey) coal mine	828
Ellen M. Rathje and Jonathan D. Bray	One- and two-dimensional seismic analysis of solid-waste landfills	850
Erik Simonsen and Ulf Isacsson	Soil behavior during freezing and thawing using variable and constant confining pressure triaxial tests	863

NOTES

- Jyant Kumar** Seismic passive earth pressure coefficients for sands 876
- D.Y. Zhu, C.F. Lee, Q.H. Qian, Z.S. Zou, and F. Sun** A new procedure for computing the factor of safety using the Morgenstern-Price method 882
- Corey R. Froese and David M. Cruden** Landslides in weakly cemented glaciolacustrine sediments, Morkill River valley, British Columbia 889
- Tao-Wei Feng and Yi-Jiuan Lee** Coefficient of consolidation from the linear segment of the $t^{1/2}$ curve 901

October / octobre

ARTICLES

- F.C. Dai and C.F. Lee** Terrain-based mapping of landslide susceptibility using a geographical information system: a case study 911
- J.-M. Konrad and D. Lachance** Use of in situ penetration tests in pavement evaluation 924
- David Liverman, Martin Batterson, David Taylor, and Janice Ryan** Geological hazards and disasters in Newfoundland and Labrador 936
- J.L. Meldrum, H.E. Jamieson, and L.D. Dyke** Oxidation of mine tailings from Rankin Inlet, Nunavut, at subzero temperatures 957
- Jean-Marie Konrad and Julie Cummings** Fracture toughness of frozen base and subbase soils in pavement 967
- R.J. Fannin and M.P. Wise** An empirical-statistical model for debris flow travel distance 982
- K.M. Schmidt, J.J. Roering, J.D. Stock, W.E. Dietrich, D.R. Montgomery, and T. Schaub** The variability of root cohesion as an influence on shallow landslide susceptibility in the Oregon Coast Range 995
- Bradley D. Cey, S.L. Barbour, and M. Jim Hendry** Osmotic flow through a Cretaceous clay in southern Saskatchewan, Canada 1025
- Mansor Kashir and Ernest K. Yanful** Hydraulic conductivity of bentonite permeated with acid mine drainage 1034
- C.W.W. Ng, B. Wang, and Y.K. Tung** Three-dimensional numerical investigations of groundwater responses in an unsaturated slope subjected to various rainfall patterns 1049
- K.M. Lee and Z.R. Xiao** A simplified nonlinear approach for pile group settlement analysis in multilayered soils 1063

NOTES

- A.I. Husein Malkawi, W.F. Hassan, and S.K. Sarma** An efficient search method for finding the critical circular slip surface using the Monte Carlo technique 1081
- D.Y. Zhu, C.F. Lee, and H.D. Jiang** A numerical study of the bearing capacity factor N_γ 1090
- Luis E. Vallejo** Interpretation of the limits in shear strength in binary granular mixtures 1097
- P.K. Kolay and D.N. Singh** Effect of zeolitization on physicochemico-mineralogical and geotechnical properties of lagoon ash 1105
- Robert P. Chapuis, Djaouida Chenaf, Bruno Bussière, Michel Aubertin, and Rodolfo Crespo** A user's approach to assess numerical codes for saturated and unsaturated seepage conditions 1113
- Jeong Woo Seok, Oon Young Kim, Choong Ki Chung, and Myoung Mo Kim** Evaluation of ground and building settlement near braced excavation sites by model testing 1127
- G.C. McRostie and C.B. Crawford** Canadian Geotechnical Research Site No. 1 at Gloucester 1134
- Guofu Zhu and Jian-Hua Yin** Design charts for vertical drains considering construction time 1142

DISCUSSIONS

- Jyant Kumar** Static and seismic passive earth pressure coefficients on rigid retaining structures: Discussion 1149
- Abdul-Hamid Soubra** Static and seismic passive earth pressure coefficients on rigid retaining structures: Reply 1151
- C. Cherubini, F. Paccapelo, and F.P. Ramunni** Compressibility behaviour of remoulded, fine-grained soils and correlation with index properties: Discussion 1152
- A. Sridharan and H.B. Nagaraj** Compressibility behaviour of remoulded, fine-grained soils and correlation with index properties: Reply 1154

December / décembre

ARTICLES

- Vincenzo Silvestri** Interpretation of pressuremeter tests in sand 1155

Giampaolo Cortellazzo and Paolo Simonini Permeability evaluation and its implications for consolidation analysis of an Italian soft clay deposit	1166
Flavia Burmeister Martins, Luiz Antônio Bressani, Matthew Richard Coop, and Adriano Virgilio Damiani Bica Some aspects of the compressibility behaviour of a clayey sand	1177
A.A. Javadi and C.P.M. Snee The effect of air flow on the shear strength of soil in compressed-air tunneling	1187
Zon-Yee Yang and Jian-Liang Juo Interpretation of sieve analysis data using the box-counting method for gravelly cobbles	1201
Paula L. Kennedy and Paul J. Van Geel Impact of density on the hydraulics of peat filters	1213
W.A. Take and A.J. Valsangkar Earth pressures on unyielding retaining walls of narrow backfill width	1220
Adel Hanna Determination of plane-strain shear strength of sand from the results of triaxial tests	1231
Der-Her Lee, C. Hsein Juang, and Chi-Sheng Ku Liquefaction performance of soils at the site of a partially completed ground improvement project during the 1999 Chi-Chi earthquake in Taiwan	1241
D.M. McClung Extreme avalanche runout: a comparison of empirical models	1254
Allen Lunzhu Li and R. Kerry Rowe Combined effects of reinforcement and prefabricated vertical drains on embankment performance	1266
R. Kerry Rowe, C.T. Gnanendran, A.J. Valsangkar, and A.O. Landva Performance of a test embankment constructed on an organic clayey silt deposit	1283
W. Scott Sillers and Delwyn G. Fredlund Statistical assessment of soil-water characteristic curve models for geotechnical engineering	1297
NOTES	
A. Gesualdo, V. Minutolo, and L. Nunziante Failure in Mohr-Coulomb soil cavities	1314
Robert P. Chapuis and Michel Aubertin A simplified method to estimate saturated and unsaturated seepage through dikes under steady-state conditions	1321
Dal-Heui Lee, Robert D. Cody, and Blythe L. Hoyle Comparison of six surfactants in removing toluene and trichlorobenzene from a sandy soil under laboratory conditions	1329
Tao-Wei Feng A linear log $d - \log w$ model for the determination of consistency limits of soils	1335
Zon-Yee Yang and Shin-Chen Lo Describing the geometrical packing of gravelly cobble deposits using pair-correlation functions	1343
Laurence D. Wesley Coulomb wedge analysis of cuts in steep slopes	1354
Jun Yang A note on Rayleigh wave velocity in saturated soils with compressible constituents	1360
BOOK REVIEWS / CRITIQUES DE LIVRES	
A.L. Li Mechanics of reinforced soil	1366
M.H. El Naggar Applications of stress-wave theory to piles, quality assurance on land and offshore piling	1367
Note of appreciation / Note de reconnaissance	iii
List of reviewers / Liste de réviseurs	iv
In Memoriam / En memoriam	vii
Author index for Volume 38 / Index des auteurs pour le volume 38	AI-1
Contents index for Volume 38 / Sommaire pour le volume 38	C-1



